

AL FAW WORKSHOP TOOLS TR.L.L.C



CATALOG 2021





AL FAW
WORK SHOP TOOLS TR. L.L.C.

WHO IS AL FAW?

AL FAW W/SHOP TOOLS TR. LLC was established since 2004. We have the best sources of supplies to all kinds of Equipment and Machines for stones, Floor System for Grinding, Polishing and cleaning, Diamond cutting tools, chemical treatments for restoration and preservation and all accessories in the field of Stone Industry.



KGS
Swiss Diamond Technology®



Bellinzoni
SINCE 1937

SAIT
ABRASIVI

EHWA®

HYOSUNG



SUPER SELVA
ABRASIVI STAND-TO-DIAMONDS

Achilli

ABRASIVOS ALICANTE

B-CHEM



AL FAW
WORK SHOP TOOLS TR. L.L.C.


WHO ARE OUR BRANDS?

- **KGS DIAMOND SWISS TECHNOLOGY – (EXCLUSIVE DISTRIBUTOR)** in UAE with a broad range of products for grinding and polishing solutions. KGS DIAMOND is the world's leading manufacturer of flexible diamond abrasives and electrolytically metalized fabrics. Founded in Switzerland in 1906, manufacturing abrasives since 1952. KGS has more than 20 sales and distribution offices in Europe, North America, Middle East, Singapore, India, China and Australia as well as six manufacturing sites located in Switzerland, The Netherlands, Hungary, Portugal, United Arab Emirates and India. KGS is a technology driven company regularly applying for patents and bringing innovations to the abrasives world. The control of complex technologies such as metalization of fabrics, electroplating, metal bond and resin bond sintering, molded resin expertise, spray coating and standard coated abrasives technologies allows for technological synergies and truly unique innovations.
- **BELLINZONI S.R.L – (EXCLUSIVE DISTRIBUTOR)** in UAE and IRAQ. Our products are all dedicated to the protection, filling and maintenance of marble, granite, stone, terracotta, ceramics, metals and plastics. We have POLISHERS, PROTECTIVES, MASTICS AND EPOXY, and CLEANERS AND OTHER SPECIAL PRODUCTS. We also have products for building materials (PRIMAX).
- **EHWA DIAMOND TOOLS and HYOSUNG – (EXCLUSIVE DISTRIBUTOR)** products that focuses on diamond tools like Cutting discs. These blades provide excellent value and fast cutting action.
- **ABRASIVOS ALICANTE – (EXCLUSIVE DISTRIBUTOR)** tools and chemical products for the production and treatment of Marbles, Granites, Terrazzo, Ceramics, Quartz and Concrete.
- **SUPER SELVA – (EXCLUSIVE DISTRIBUTOR)** Frankfurt, Cassani, Rubbing Stones and polishing Powder.
- **ACHILLI S.R.L – (AUTHORIZED DISTRIBUTOR)** - machineries for cutting, sanding and polishing of marble and granite.
- **SAIT ABRASIVI S.P.A – (AUTHORIZED DISTRIBUTOR)** abrasive products for grinding and polishing.
- **B-CHEM S.R.L – (AUTHORIZED DISTRIBUTOR)** polyester glue and abrasive stones.
- **MIXER BRAND (CHIM ITALIA) GLOBAL SHIPPING – (AUTHORIZED DISTRIBUTOR)** - Marbles and natural stones' gluing, restoration, support, connection and finishing. Polishing, protection and treatments for natural stones and marble.


TABLE OF CONTENTS

KGS	1-11
BELLINZONI	12-22
EHWA	23-29
HYOSUNG	30-39
ALICANTE	40-46
B-CHEM	47
SUPER SELVA	48
DELLAS	49-50
MGI	51
ACHILLI	52-54
SAIT	55-56
ACCESSORIES	57-59
HANDLING	60-61
MASTICS	62-63
ANGLES	64
BRASS & S.S STRIPS	64

KGS DIAMOND - SWISS



KGS CX – 100 MM – DRY							
GRIT	60	120	200	400	800	1500	3000



KGS CX ECO – 115MM – DRY							
GRIT	60	120	200	400	800	1500	3000

KGS DIAMOND - SWISS



KGS XE -100mm- Dry

GRIT	COLOR
60	GREEN
120	BLACK
200	RED
400	YELLOW
800	WHITE
1500	BLUE
3000	ORANGE




KGS XX 100mm- Dry

GRIT	COLOR
60	GREEN
120	BLACK
200	RED
400	YELLOW
800	WHITE
1500	BLUE
3000	ORANGE




KGS Speedline MM -100mm- Wet

GRIT	COLOR
50	GREY
60	GREEN
120	BLACK
200	RED
400	YELLOW
800	WHITE
1500	BLUE
3000	ORANGE



KGS SPEEDLINE CM -100mm- Dry & Wet

GRIT	COLOR
60	GREEN
120	BLACK
200	RED
400	YELLOW
800	WHITE
1500	BLUE
3000	ORANGE



KGS SPEEDLINE ECO - 100mm - Wet

Grit	Color
60	Green
120	Black
200	Red
400	Yellow
800	White
1500	Blue
3000	Orange



KGS DIAMOND- SWISS

FLOOR SYSTEM



KGS FLEXIS PAD 17"

FERRZON TECHNOLOGY INSIDE

KGS uses FERRZON® technology for KGS FLEXIS® pads to allow its use in every cleaning and polishing application.

The pads can be used on most kinds of surfaces: Terrazzo, Marble, Granite, Ceramic tiles, Resin (top coat), Epoxy, Range goes from concrete cleaning with our FERRZON® Black pad to Fine polishing of marbles with our Very Fine pad.

- STEP 1 (400)
- STEP2 (800)
- STEP 3 (1500)
- STEP 4 (3000)
- STEP 5 (8000)


KGS SPEEDTEC WET SEKTOR

GRIT	COLOR
50	Grey
80	Orange
100	Black
200	Blue
400	Red
800	White
1500	Yellow
3000	Green



KGS Speedline MM 2A -100mm- WET

Steps 1, 2, 3, 4, 5 Available



KGS RENOVATOR PAD

Bring a worn floor back to life, remove light scratching from daily usage or recover your floor's lost gloss. The KGS RENOVATOR™ light renovation system is a simple, user-friendly and multifunctional program designed to be used without the need of any special equipment or chemicals.



KGS RENOVATOR™ can be used on large areas on any scrubber drier with a pad drive plate or under single head machines for small areas. Its unique design allows the discs to work on uneven floors and its reinforced long hook keeps the discs in place throughout the whole of the process.

KGS POLISHING DISC SR - 3 STEPS - WET & DRY

Polishing for granite edges, applicable for both wet and dry usage.



DRY CUTTING



KGS PGW5

Pneumatic Air Grinder



KGS K935

Diameter {mm}	Bore/ Connection {mm}
115	22.23
178	22.23



KGS K936

Diameter {mm}	Bore / Connection {mm}
115	22.23



KGS K945

Diameter {mm}	Bore/ Connection {mm}
115	22.23
178	22.23
230	22.23

KGS SWIFLEX COBRA

SIZES	4.5" / 115mm	5" / 125mm	7" / 178mm	9" / 230 mm
FACES	SINGLE & DOUBLE SIDED			

KGS
Innovations for You™
Since 1906 



KGS HYBRID FLAP DISC

GRIT	COLOR
50	Grey
60	Green
120	Black
200	Red



KGS HYBRID FLAP DISC - T TYPE

GRIT	COLOR
60	GREEN
120	BLACK
200	RED
400	YELLOW



KGS
Innovations for You
Since 1906

KGS VIBER CUTTER - 115 / 125MM



KGS HANDPAD - WET

GRIT	COLOR
60	Green
120	Black
200	Red
400	Yellow
500	White
1500	Blue
3000	Orange



KGS 828 PORECLAIN CUTTING DISC

Diameter {mm}	Bore/ Connection {mm}
115	22.23
125	22.23



KGS K840 PORCELAIN CUTTING DISC - 125MM


KGS
Swiss Diamond Technology®




Swiss Diamond Technology®
KGS

PREMIUM QUALITY

KGS DIAMOND - SWISS



KGS FIBER GLASS – GRANITE POLISHING DISC					
GRIT					
4.5"	16	24	36	60	80
7"	16	24	36	60	80




KGS SEMIFLEX (GRANITE DISC) - GRINDING		
4.5"	24	36
7"	24	36

KGS SWIFLEX ELECTROPLATED MARBLE GRINDING CUP WHEEL - 4.5" / 115 MM



KGS DIAMOND - SWISS



KGS SDA – POLISHING – 115MM							
GRITS:	60	120	200	400	800	1500	3000

KGS Swiflex® SDA discs are designed for grinding and polishing faster than conventional abrasives. The discs are perfect for dry grinding and polishing of edges and bevels of Engineered stone, Quartz, Ceramic, Dekton® etc.



		SDA Grit Sizes						
Material	RPM	60	120	200	400	800	1500	3000
Granite	3,000 - 4,500	for very rough surface only	✓	✓	✓	✓	✓	For very high gloss
Engineered Stone	3,000 - 4,500	for very rough surface only	(WET)	(WET)	(WET)	(WET)	(WET)	not used
Marble	2,000 - 4,500	for very rough surface only	✓	✓	✓	✓	not used	not used
Limestone	2,000 - 4,500	for very rough surface only	✓	✓	✓	✓	not used	not used
Sandstone	2,000 - 4,500	for very rough surface only	✓	✓	✓	✓	not used	not used

✓ = WET or DRY

SEALERS

IDEA GOLD

High performance anti aqua stain repellent natural look supported by NANOTECHNOLOGY



STRONG 2000

Silicon consolidating and anti-salt resurfacing, water proof product



IDEA HP

Water and oil repellent natural look with pearl effect



IDEA STONAGER

Water and oil repellent along with a color intensifier.



IDEA XC

Water and oil repellent, wet look



LIMESEALER

Water and oil repellent bonding, and anti-salt resurfacing.



IDEA DARK

Stone impregnating enhancer with extra darkening action supported by NANOTECHNOLOGY



Bellinzoni Antik

Enhancer with Antique look



IDEA BLACK

black coloring protective



Idea Rapid Color

Waterproofing enhancer for very porous stones



CLEANERS

ULTRASTRIPPER

Extra strong liquid cleaner and degreaser



DETERGENT LEM3

Concentrated neutral cleaner



VIP 10

Surface cleaner to prepare the surface for MANGIAMACCHIA and MANGIARUGGINE



DETERGENT BERT-27

Extra strong based acid detergent



L & L

Cleaner and polisher for daily use



PROBLEM SOLVING

BELLINZONI RUST REMOVER

Removes rust and oxidations without altering the stone shine



BELLINZONI LISTO

Concentrated neutral cleaner



BELLINZONI SPOT REMOVER MANGIAMACCHIA



Absorbing paste formulated to remove stubborn stains


BELLINZONI GTX TILE & GROUT CLEANER

Detergent for joints cleaner



SANDPLUS

Chemical Sander



BELLINZONI MOLD OFF

Algae, mold and lichens remover



EPOXY



EPOXY PREMIUM SOLID

Two component epoxy mastic



EPOXY PREMIUM LIQUID

Two component epoxy mastic with in liquid form.



EPOXY 1000

Very high fluidity transparent epoxy impregnator

MASTICS

MASTICE 2000

High quality polyester mastic



Available In
1 KG
6 KG
25 KG

BLITZ



High resistance epoxyvinilester mastic. BLITZ is suitable for outdoor use, can be used as an adhesive agent for mechanical fasteners, it has excellent grip even on wet material.

THASSOS

Crystalline effect mastic
1 KG



ASTRA 24K

Clear transparent polyester mastic "glass effect". Super transparent two-component mastic for the gluing and filling of marble and stone



Available
In 1 Kg

EPOWER

Fast-setting extreme bonding suitable for gluing, grouting and welding of artificial stones based on quartz and resin. The excellent adhesive power combined with the speed of application makes EPOWER an innovative and unique product.



STONEPOXY

High resistance two component epoxy adhesive. Product consists of A+B combination and is available in 6 KG



POLISHERS

SUPER LUX

Liquid self polishing product.
750 ml



LUCIDO

Silicon polisher and enhancer



PREPARATO LIQUIDO

Liquid polishing wax for corners and edges



VETRO GLASS

VETRO-GLASS hardens the surface surface and protects it from scratches and scrapes, giving a durable gloss and restoring the beauty of the material. VETRO-GLASS also allows to harden the surface subject to heavy traffic.
Available in 1 Lt / 500ml



BELLINZONI POLISHING WAX

Paste Polishing Wax
1 KG



POLISHERS

DURALBRILL

Nanotech polisher



BELLINZONI RRI

Re-polishable liquid wax




BELLINZONI TITANIUM POLISHING POWDER

Available in 1 &
5 KG



BELLINZONI VX-SL SILICON WAX

Self-polishing spray for
corners and edges.



BELLINZONI YELLOW POLISHING POWDER

Available in 1 & 20 KG




GROUT

FUGAPRIM 26

FUGAPRIM 26 is an improved, professional, quick setting and drying, cement-based grout for joints, with reduced water absorption and high abrasion resistance.

Available colors:

- € White - WHT - 001
- € Beige - BEGI - 020
- Light Beige - IVR - 081
- Grey - GR - 010



SELF LEVELLANTS

LEVELMAX 110



Ultra-fast drying self-leveling compound from thickness from 1-10mm.

LEVELMAX 330



Ultra-fast drying self-leveling compound from thickness from 3-30mm.

TILE ADHESIVE

MAXFIX CITE

Single component cementous tile adhesive with reduced slip and extended open time.



MAXIPLUS SI

Improved professional single component deformable cementous tile adhesive with reduced slip and extended open time.



MAXSTONE C2FT RAPIDO

Fast-setting improved professional single component cementous tile adhesive with reduced slip.



RESIN ADHESIVE

TILELASTIC

Two component high performance epoxy adhesive for ceramic tiles and natural stone.



VINYL GLUE ECO

Adhesive to lay heavy vinyl floors and coverings on absorbent substrates



WATER PROOFING

BITUMAX VULKANO

Brush able one component resin-Bituminous waterproofing membrane.



SELLO

SELLO is a waterproofing product recommended for marble, granite, limestone, natural and agglomerate stone and cement floors.



PRIMALASTIX SMART

Brush able elastic cementous two component mortar for waterproofing cementous surfaces, plasters, ceramic and marble.



SEALANTS

SILICON MARMOSIL

COLORS:

White
Grey
Beige
Transparent
Black



PRIMAXCRYL

Sealer, gives excellent performance inside and outside, showing good adhesion on porous surfaces.



FLEXSEAL HI

Self-leveling sealant used on floor expansion joints, where durability is required.



LATEX ADDITIVES

PRIMACRETE

Latex mixture specifically formulated to improve mechanical resistance and adhesion.



BELLINZONI ANTI AQUA

Colorless water repellent and UV resistant for protecting stones, bricks, and concrete facades.

Available in 5/25 Lt



STONE PROTECTIVES

BELLINZONI PHOENIX SINGLE DISC (43)

Horsepower: 1.35HP
Brush speed: 154 rpm
Brush Size: 17"
Voltage: 220-240 V
Frequency: 50 Hz
Weight: 41KG



BELLINZONI PHOENIX SINGLE DISC (43 EH)

Horsepower: 2.5 HP Brush
speed: 227 rpm
Brush Size: 17"
Voltage: 220-240 V
Frequency: 50 Hz
Weight: 44 KG




EXTRA WEIGHT - 10Kg



MARBLE DISC



BELLINZONI VELCRO PAD 17"





**BELLINZONI
WHITE - 250 ml**

**BELLINZONI
BROWN - 250 ml**



**BELLINZONI
BLACK - 250 ml**

**BELLINZONI
YELLOW - 250 ml**



**BELLINZONI
ORANGE - 250 ml**



**BELLINZONI
BLUE - 250 ml**



**BELLINZONI PORO
COLOR - 1LT**

Available in:


1. Black
2. Red
3. Green
4. Yellow
5. Brown



EHWA (ZENESIS) CUTTING DISC - WET



**ZENESIS
NORMAL**



**ZENESIS
TURBO**

ZENESIS[®] TECHNOLOGY

Diameter (mm)	Type	Material
300	NORMAL	Granite / Engineered Stone
350	SILENT	
400	SILENT	
500	SILENT	
600	SILENT	

Blades for Marble - Wet Cutting



EHWA GRANITE (SILENT) CUTTING DISC (BLACK)

SERIAL NO.	SIZE (CM)
1	25
2	30
3	35
4	40
5	45
6	50



EHWA WET MARBLE CUTTING DISC

SERIAL NO.	SIZE
1	25 CM
2	30 CM
3	35 CM (SILENT + NORMAL)
4	40 CM (SILENT + NORMAL)
5	45 CM
6	50 CM
7	60 CM

Blades for Porcelain - Wet Cutting



EHWA[®]



EHWA HARD PORCELAIN CUTTING DISC - WET				
SIZES (mm)	300	350	400	450



EHWA[®]



EHWA PORCELAIN CUTTING DISC 300 X 1.2 mm



(Maximum 1mm Tile Thickness)

Blades for Artificial - Wet Cutting

EHWA[®]




EHWA ARTIFICIAL STONE & (WHITE CRYSTAL) CUTTING DISC - WET

SIZES (CM):	30	35	40
-------------	----	----	----

EHWA DEKTON & LAIPTAC CUTTING DISC - WET

EHWA[®]



NOTE:


- Reduce feeding speed by 40% for 45 degree cutting
- reduce feeding speed by 40-50% entering & finishing cut
- It is necessary to use high water flow to ensure both the perfect cooling of the tool and to obtain the best quality
- It is recommended to use the dressing stone every 4-6 cuts to maintain the best performance

THICKNESS OF DEKTON TILE	FEEDING SPEED LINEAR METER / METER	RPM RECOMMENDATION		
		350 mm	400 mm	450 mm
8 mm	1.2 – 1.5	2100 - 2400	1700 - 2100	1500 - 1800
12 mm	1.0 – 1.2			
20 mm	0.5 – 0.9			
30 mm	0.4 – 0.6			

Tools / Profiling



EHWA GRANITE GROOVE DISC



EHWA MARBLE GROOVE DISC



DIMENSIONS		BORE / CONNECTION
300 X 5		50 mm
300 X 6		50 mm
300 X 8		50 mm
300 X 10		50 mm
300 X 15		50 mm
300 X 20		50 mm

Blades for Marble - Dry Angle grinders



EHWA MARBLE ELECTROPLATED CONCAVE DISC		
SIZE	4.5" / 115MM	7" / 178 MM



EHWA MARBLE ELECTROPLATED BLADE			
SIZE	4.5" / 115MM	7" / 178 MM	9" / 230 MM

Blades for Granite - Dry

Angle grinders



EHWA GRANITE LASER RUSH BLADE		
SIZE	4.5" / 115MM	7" / 178 MM

Cup wheels for

Grinding

EHWA ALUMINUM
RUBBER BLUE CUP WHEEL



DIAMETER	BORE / CONNECTION
4" / 100 mm	M14 / 22.3mm


EHWA ALUMINUM TURBO CUP WHEEL



DIAMETER	BORE / CONNECTION
4" / 100 mm	M14 / 22.3mm

Pads for

Polishing



METAL



RESIN

EHWA WET POLISHING PAD		
TYPE	DIAMETER	GRIT
METAL	10" / 250MM	50 / 100 / 200
RESIN	10" / 250MM	400 / 800 / 1500 / 3000

Core bits for Drilling

EHWA CORE BIT DRILL - DRY APPLICATION FOR GRANITE

Serial No.	Size Available (mm)
1	20
2	25
3	30
4	35
5	40
6	45
7	50
8	55
9	60
10	65
11	70
12	75
13	80
14	85
15	90
16	100



EHWA ELECTROPLATED CORE BIT DRILL FOR MARBLE

Serial No.	Size Available (mm)
1	20
2	25
3	30
4	35
5	40
6	45
7	50
8	55
9	60
10	65
11	70
12	75
13	80
14	85
15	90
16	100



EHWA DRILL BIT VACUUM BRAZED FOR PORCELAIN

Drill hole sizes; 5mm, 6mm, 8mm, 10mm, 12mm




EWHA DIAMOND DRILL BIT FOR GRANITE

Drill hole sizes; 5mm, 6mm, 8mm, 10mm, 12mm



Blades for Granite
Cutting




EDIA TECHNOLOGY

HYOSUNG EDIA GRANITE CUTTING DISC- WET



SIZES (MM)	350	400
BODY TYPE	SILENT	
BORE SIZE	50 / 60 MM	



HYOSUNG GRANITE CUTTING DISC - WET



TRADITIONAL TECHNOLOGY

BORE SIZE	SIZES (MM)
50 / 25.4 MM	250 (NORMAL)
	300 (NORMAL)
50 / 60 MM	350 (SILENT)
	400 (SILENT)
	450 (NORMAL)
	500 (NORMAL)
	620.50 (NORMAL)
	1000 (NORMAL)

Blades for Marble & Ceramic - Wet

Cutting

HYOSUNG MARBLE CUTTING DISC - WET

BORE SIZE	SIZES (MM)
50 / 25.4 MM	250
	300
50 / 60 MM	350
	400
	450
	500
	620.50
	1000



HYSOUNG CERAMIC CUTTING DISC J SLOT - WET

BORE SIZE	SIZE (MM)
50 / 25.4 MM	250
	300
50 / 60 MM	350



ROCKY CERAMIC DISC - WET

BORE SIZE	SIZE (MM)
50 / 25.4 MM	250
	300
50 / 60 MM	350




Blades for Granite - Dry ☀️
Angle grinders



GRANITE LASER TURBO CLEAR 7" ☀️




GRANITE BLADE TURBO GREEN
9" / 230 MM - DRY ☀️



WITH FLANGE


WITHOUT FLANGE



HYOSUNG GRANITE WATERDROP
DISC 4.5" / 7"




GRANITE FLUSH BLADE 4.5" ☀️



Blades for Granite - Dry ☀️
Angle grinders

GRANITE BLADE TURBO SEGMENT BLUE - DRY

SIZES:	4.5" / 115 MM
--------	---------------





HYOSUNG TURBO ECO - DRY

SIZES:	4.5" / 115 MM	7" / 178 MM
--------	---------------	-------------



HYOSUNG BLADE LASER GOLD - DRY

SIZES:	4.5" / 115 MM	9" / 230 MM
--------	---------------	-------------



GRANITE BLADE TURBO YELLOW - DRY

SIZES:	4.5" / 115 MM	7" / 178 MM
--------	---------------	-------------



Blades for Ceramic - Dry ☀️
Angle grinders


ROCKY VIBER CUTTER 4.5" / 115 MM & 7" / 178 MM

CUTTING DISC FOR ALL PURPOSES

- ✓ MARBLE
- ✓ GRANITE
- ✓ CERAMIC
- ✓ ASPHALT
- ✓ CONCRETE



THINCUTTER 4.5" W/ REINFORCED FLANGE - FOR PORCELAIN



CERAMIC J-SLOT BLADE - WET

SIZES:	7" / 178 MM
--------	-------------




CERAMIC GOLD DISC CONTINUOUS - DRY

SIZES:	4.5" / 115 MM	7" / 178 MM
--------	---------------	-------------

Blades for Marble - Dry



Angle grinders



ELECTROPLATED MARBLE BLADE- DRY

SIZES:	4.5" / 115 MM	7" / 178 MM
--------	---------------	-------------



ROCKY MARBLE VACUUM BRAZED 7"



ROCKY VACUUM BRAZED 100 X 0.7 MM - JOINT CLEANING



Blades for Grinding & Concaving

CUP WHEEL FOR GRANITE



ALUMINUM BODY



GREEN STEEL BODY

SIZE	BORE / CONNCECTION
4" / 115 MM	22.4 MM / M14



GRANITE BLADE CONCAVE BLUE - DRY

SIZES:	4.5" / 115 MM	7" / 178 MM
--------	---------------	-------------



HYOSUNG ANY BLACK - GRANITE 4.5" & 7"

Tools / Profiling

HYOSUNG PORCELAIN
PROFILING DISC - WET



BORE SIZE	SIZE (MM)
50 MM	180 X 10
	300 X 10

HALFROUND SHAPE
PROFILE WHEEL GRANITE
HYOSUNG - WET



BORE SIZE	SIZE (MM)
50 MM	300 X 10
	300 X 20
	300 X 30

HYOSUNG FRANKFURT METAL
BOND FOR CLAIBRATING - WET

Grit #36 & #60 & #80





RISK DISC FOR EMERGENCIES



PHOENIX CUTTING DISC 4.5" & 7"

CUTTING DISC FOR ALL PURPOSES AND SURFACES, FOR STEEL, PLASTIC, ASPHALT, MARBLE, GRANITE, PORCELAIN & EVEN CONCRETE.

PERFECT IN EMERGENCY SITUATIONS WHERE A SURFACE NEEDS TO BE REMOVED.




Concrete cutting



Steel Cutting

Core bits for Drilling

HYOSUNG DIAMOND DRILL BIT FOR
GRANITE - HEXAGONAL BORE



SIZES	
15 MM	60 MM
20 MM	65 MM
25 MM	70 MM
30 MM	75 MM
35 MM	80 MM
40 MM	85 MM
45 MM	90 MM
50 MM	100 MM

PUMA WET & DRY CORE BIT DRILL
GRANITE



BORE SIZE	SIZE (MM)
M14 / 22.4 MM	20
	25
	30
	32
	35
	38
	40
	50



TOOLS


ADR 3 STEP TOOL WET AND DRY PAD



3 STEPS; 1, 2 & 3

Flexible Diamond Resined Abrasive (ADR) designed to Polish and Shine surfaces, edges and bevel. Able to achieve the best quality without needing water.

Compatible With:



- ✓ QUARTZ / QZ
- ✓ GRANITE / GR
- ✓ MARBLE / MR
- ✓ CERAMIC / CR
- ✓ CONCRETE / CON




ADR HYBRID PUZZLE WHEELS

Diamond resined abrasive (ADR), destined to polish and gloss both straight and toroidal edges



- ✓ QUARTZ / QZ
- ✓ GRANITE / GR
- ✓ CERAMIC / CR
- ✓ MARBLE / MR

FOR USE IN:



EDGE POLISHER




CNC



POLISHING PADS

ALICANTE DIAMOND FLOOR POLISHING PADS



Revolutionary diamond product for the maintenance and polishing of hard surfaces, using a novel ecological polishing system: ULTRABOND ECO-SYSTEM.



COMPATIBLE WITH:



SCRUBBER



SWING



HIGH SPEED



FLOORS



TROWEL

Recommended
200-2.000 r.p.m.

- ✓ MARBLE / MR
- ✓ GRANITE / GR
- ✓ TERRAZZO / TZ
- ✓ CONCRETE / CON



FRANKFURT BRUSHES



FRANKFURT BRUSH



Gr. 24, 36, 46, 60, 120, 220, 320, 400, 800, 1000, 1200, 1500, 3000

COMPATABLE WITH:



AUTOMATIC



SEMI-AUTOMATIC



CNC



PLANETARY



- ✓ MARBLE / MR
- ✓ TERRAZZO / TR
- ✓ CONCRETE / CON

ALICANTE ROUND BRUSH 100MM



Gr. 36, 46, 60, 80, 120, 180, 240, 320, 500, 1000, 1500, 3000



COMPATABLE WITH:



GRINDER



EDGE POLISHER



CNC



FLOORS

- ✓ MARBLE / MR
- ✓ QUARTZ / QZ
- ✓ CERAMIC / CR



FRANKFURT
BRUSHES

FRANKFURT ANTIQ DIAMOND BRUSH 

RESIN[®]
FORMULA

DRILL
TUFT 3D[®]



Gr. 24, 36, 46, 80, 120, 240

_All brushes can be **resin coated**. This allows to apply greater pressure on the tools in the process, achieving a **greater texture**.

_Recommended option when treating very hard stones.




Patented diamond brush with maximum performance and technology. Special for very hard surfaces or requiring very much texturing.

- ✓ GRANITE / GR
- ✓ MARBLE / MR
- ✓ TERRAZZO / TR
- ✓ CONCRETE / CON

COMPATABLE WITH:



AUTOMATIC



SEMI-AUTOMATIC



CNC



PLANETARY

ALICANTE CASSANI SEGMENT FOR GRANITE



COMPATIBLE WITH:



TRADITIONAL

GR. 36, 60, 120, 220, 400, 800, 1200,
1500, 3000

- ✓ GRANITE / GR
- ✓ CONCRETE / CON



ALICANTE ANTI SLIP



MOP



SPRAY


_ANTI-SLIP is a high power non-slip product studied to avoid falls in freshly scrubbed areas or even in wet areas as shower feet, in homes, hotels, hospitals, nursing homes, leisure areas, etc. ANTI-SLIP creates micropores on the treated surface that act as suction cups, achieving a coefficient of friction > 0.75 .

Special Anti Slip Treatment

- ✓ Fast action
- ✓ Concentrated Product
- ✓ Scented
- ✓ Easy Application
- ✓ Long Lasting
- ✓ Resistant to water & Alcohol

- ✓ MARBLE
- ✓ OTHER HARD SURFACES

ALICANTE TINT



BRUSH



SPRAY



AUTOMATIC

_Stone Tint, specially formulated to modify or increase the tone or colour. Once dry, the Stone will be perfectly tinted with an astonishing result.

USE METHOD: ▼

_Manual or automatic application: Administer the tint once the polishing process is finished, by manual application or automatic dispensers. Then the tint excess must be removed by rubbing the surface with a cotton mop or wool felt. Its drying will be immediate and the results are visible on the spot.

_Application with spray: Administer the tint by pressure machine with spray outlet. Then evenly distributed the tint on the entire surface by rubbing with a cotton mop or wool felt. Its drying will be immediate and the results are visible on the spot.


✓ NATURAL AND ARTIFICIAL STONE

✓ CONCRETE

✓ CEMENT

BUSH HAMMERS

FRANKFURT BRUSH COARSE




FRANKFURT BRUSH VERY COARSE



FRANKFURT BRUSH SEMI STANDARD



FRANKFURT BRUSH FINE



FRANKFURT BRUSH STANDARD





B-CHEM MASTIC SOLID CREAM



Gr.000
Gr. 00
Gr. 0
Gr. 1
Gr. 2
Gr. 3
Gr. 4
Gr. 3/4 SL



5 Extra

CASSANI STONE FOR MARBLE



CARBONADRIUM CUP WHEEL THREADED

Gr. 36, 60, 120, 220

RUBBING STONE - 250mm



Gr. 00
Gr. 0
Gr. 1
Gr. 2
Gr. 3
Gr. 4
Gr. 3/4 SL



5 Extra

FRANFURT STONE VELOX

Gr. 46, 60, 80, 120,
220, 320



POLISHING POWDER

Available in 1 & 5 Kg



SUPER SILVA FRANKFURT STONE MAGNESITE

Gr. 24, 36, 46, 60, 80,
120, 180, 220, 320



RUBBING STONE -250mm

5 Extra



SUPER SILVA FRANKFURT STONE SYNTHETIC

GR.400
GR.600
GR.800
Pulitore
Gr. 3000
Gr.5000




FRANKFURT STONE 5 EXTRA



Blades for Cutting

DELLAS DEKTON, LAIPTAC & HARD PORECALIN CUTTING DISC 



SLAB NAME & LENGTH	DIAMETER (mm)	REVOLUTIONS (SPINDLE)	INFEED (mm/min)	FEED (mm/min)	OUTFEED (mm/min)
LAIPTAC (12 mm)	350	1600 / 1800	400 / 500	1600/1800	400 / 500
	400	1400 / 1600			
DEKTON (20mm)	350	1600 / 1800	300 / 400	600 / 800	300 / 400
	400	1400 / 1600			
NEOLITH (12 mm)	350	1600 / 1800	400 / 500	1600 / 1800	400 / 500
	400	1400 / 1600			
FLORIM (6 mm)	350	1600 / 1800	400 / 500	1600 / 1800	400 / 500
	400	1400 / 1600			
LAMINAM (12 mm)	350	1600 / 1800	400 / 500	1600 / 1800	400 / 500
	400	1400 / 1600			
SANTA MARGHERITA (20 mm)	350	1600 / 1800	300 / 400	600 / 800	300 / 400
	400	1400 / 1600			

OPERATING PRECAUTIONS

- While cutting, the disc must come out 2 mm out of the material
- Use plenty of water while cutting, spray water towards the front of the disc plate, as close to the cutting area as possible
- Make sure the cutting bench is in good condition. Otherwise put a rubber Surface between the bench and the material

For the 45° tilted cut, we recommend reducing the feed by approximately 50%

Blades for Cutting

MARBLE CUTTING DISC 



BORE SIZE (mm)	SIZE (CM)
50 / 25.4	30
60 / 50	35
	40
	50
	62.5

MGI CUTTING MACHINE SINGLE / 3 PHASE



MODEL	CUTTING LENGTH (MM)	MAX BLADE SIZE (MM)	Z MAX (mm)	BLADE HOLE (mm)	VOLTAGE	KW Power	RPM	WIGHT (KG)
SM105	1050	350	185	25.4	230 / 400 V	2.2 – 3.0KW	2800	120
SM130	1300	350	185	25.4	230 / 400 V	2.2 – 3.0KW	2800	135
SM160	1600	350	185	25.4	230 / 400 V	2.2 – 3.0KW	2800	160

ACHILLI BRIDGECUTTER MACHINE SINGLE / 3 PHASE



Achilli

Length	Diamond Blade Diameter (mm)	Blade Bore Size	Motor Power (1 Phase)	Motor Power (3 Phase)	Motor rotation speed	Standard voltage / frequency
1.0M / 1.3M / 1.5M	250 / 300 / 350	25.4mm	3 HP	5 HP	2800 RPM	230V-50Hz



FLOOR POLISHING MACHINE



Phase	Power (HP)	VOLTAGE	ABBRASIVE HOLDING PLATE	RPM	WATER TANK CAPACITY	NET WEIGHT WITHOUT ACCESSORIES	GROSS WEIGHT
1 Phase	4	230 V	300 MM	439	21 L	90 KG	110 KG
3 Phase	5.5	230 / 400 V	320 MM	466	31 L	109 KG	125 KG

AVAILABLE IN ALUMINUM / POLYETHENE BODY



ACHILLI FLOOR POLISHING MACHINE 2 HEADS 7 HP



Achilli



Power (HP)	VOLTAGE	Motor rpm	RPM	WATER TANK CAPACITY	NET WEIGHT WITHOUT ACCESSORIES	GROSS WEIGHT
7.5	400 V	960 RPM	439	48 L	192 KG	234 KG

Abbrasives



GRANITE POLISHING DISC - SAIT

SIZES	GRITS				
4.5" (115 mm)	24	36	60	80	120
7" (178 mm)	24	36	60	80	120



SAIT DISC

SIZES	GRITS							
4.5" (115 mm)	24	36	60	80	120	220	320	400
7" (178 mm)	24	36	60	80	120	220	320	400



SAIT VELCRO POLISHING DISC

SIZE	GRITS									
4.5"	24	36	60	80	120	220	320	400	800	1200

Abbrasives



A4 HAND POLISHING PAPER

GRITS:	60	80	120	220	320	400	600	800	1200
--------	----	----	-----	-----	-----	-----	-----	-----	------



STONE CUTTING DISC

SIZE	THICKNESS	TYPE
4.5" (115 MM)	1.6 MM	TM
4.5" (115 MM)	3.0 MM	DT
7" (178 MM)	3.0 MM	DT
9" (230 MM)	3.2 MM	DT



FLAP WHEL 165 X 30

GRITS:	60	80	120	180	220	320
--------	----	----	-----	-----	-----	-----



PNEUMATIC GRINDER - CHINA

ANTI SLIP TAPE
1 Inch (18 METERS) -
CHINA



ANTI SLIP TAPE
1 Inch (18 METERS) -
ITALY



FIBER MESH (100 METERS)

- 100 Grams
- 120 Grams
- 125 Grams
- 140 Grams


DIAMOND CUP WHEEL
- CHINA



PACKING STRAP

15.5 X 0.9 1300 L.M

20 KG



ELECTROPLATED MARBLE CUTTING DISC – M14

SIZES:	4.5" (115MM)	7" (178 MM)	9" (230 MM)
--------	--------------	-------------	-------------



BUFFING PAD CHINA / ITALY

SIZES	4.5" (115 MM)	7" (178 MM)
-------	---------------	-------------



BUFFING PAD CHINA

SIZES	4.5" (115 MM)	7" (178 MM)
-------	---------------	-------------

CLEANING TOOLS

SCRUBBING PAD BLACK-
CHINA - 17"



SCRUBBING PAD
BLACK- 3M - 17"



SCRUBBING PAD RED -
CHINA - 17"



SCRUBBING PAD RED -
3M - 17"



SCRUBBING PAD
WHITE - CHINA - 17"



SCRUBBING PAD
WHITE - 3M- 17"



STEEL WOOL PAD
- CHINA - 17"

#0 (SOFT)
#1 (HARD)



STEEL WOOL PAD - ALICANTE - 17"

#0 (SOFT)
#1 (HARD)



SCRUBBING PAD NATURAL GREY

HANDLING




SLAB DOLLY 8"- SD008



SLAB DOLLY 11"- SD011

MODEL	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight lbs (kg)	W.L.L. lbs (kg)
SD008	20 1/16 (510)	9 13/16 (250)	8 1/16 (205)	3 1/8 (80)	18.7 (8.5)	660 (300)
SD011	20 1/16 (510)	10 5/8 (270)	12 1/8 (308)	3 1/8 (80)	22 (10)	660 (300)

SCISSOR CLAMP - SC100



MODEL (mm)	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	GRIP RANGE (mm)	NET WEIGHT (Kg)	WORK LOAD LIMIT (Kg)
SC100	542	180	400	10-100	21	1300

LITTLE GIANT LIFTER

Model	Length In(mm)	Width In(mm)	Height In(mm)	Grip Range In(mm)	Net Weight lbs (kg)	W.L.L. lbs (kg)
ALG30	7 7/8 (200)	5 1/16 (144)	12 13/16 (325)	3/8 ~ 1 3/16 (10 ~ 30)	34.54 (15.7)	2200 (1000)



DOUBLE SUCTION CUP



TRIPLE SUCTION CUP



MASTICS



BELLINZONI MASTIC 2000

- ❖ SOLID CREAM
- ❖ SOLID WHITE
- ❖ LIQUID TRANSPARENT



B-CHEM MASTIC

- ❖ SOLID CREAM



MIXER MASTIC

- ❖ SOLID BEIGE
- ❖ SOLID WHITE
- ❖ LIQUID TRANSPARENT



MIXER

- ❖ LIQUID KRISTAL - 1 KG
- ❖ SOLID KRISTAL - 1 KG



CHINA MASTICS



MAX MASTIC

- Solid Beige
- Solid White




PETRA

- Solid white
- Solid Beige
- Liquid Transparent



ROCKY PLUS

- SOLID CREAM
- SOLID WHITE



CAMEL

SOLID TRANSPARENT

ANGLES



	ANGLE 202 (2.5MM)	ANGLE 304 (3.0 MM)	ANGLE 316 (3.0 MM)
SIZES (mm)	30x30	30x30	30x30
	30x40	30x40	30x40
	30x50	30x50	30x50
	30X60	30X60	30X60
	30X70	30X70	30X70
	30X80	30X80	30X80
	30X90	30X90	30X90
	30X100	30X100	30X100
	30X110	30X110	30X110
	30X120	30X120	30X120
	30X130	30X130	30X130
	30X140	30X140	-
	30X150	30X150	-
	ACCESSORIES	Rowel plug 6 mm	Rowel Plug
Hex Bolt M6X50		Hex Bolt M6	Hex Bolt M6
Fix Bolt W/ Ring			
Fix bolt W/out Ring			

BRASS & S.S STRIPS

BRASS STRIPS

SIZE OF STRIP (MM)	LENGTH OF STRIP
5X5	2/2.4 M
5X10	2 M
5X20	2 M



STAINLESS STEEL STRIP 304

SIZE OF STRIP (MM)	LENGTH OF STRIP
5X5	2/3 M
5X10	2.4 M
5X20	3.0 M





THIS CERTIFICATE IS PROUDLY PRESENTED TO

AL FAW WORKSHOP TOOLS TRADING LLC.

THE EXCLUSIVE DISTRIBUTOR FOR THE STONE
& CONSTRUCTION INDUSTRY FOR UAE

01.01.2021 – 31.12.2021

**EXCLUSIVE
DISTRIBUTOR**

Erik Jansman
General Manager

KGS DIAMOND GROUP
(MIDDLE EAST/ASIA PACIFIC)

Sunil Puri
CFO

KGS DIAMOND GROUP
(MIDDLE EAST/ASIA PACIFIC)

PROUD MANUFACTURERS
INNOVATORS SINCE 1952 



Certificate

The SQS herewith attests that the organisation named below has a management system that meets the requirements of the normative basis mentioned.



Bellinzoni S.r.l.
Via Mezzano, 64
28069 Trecate (NO)
Italy

Scope

Design, production and trade of polishers, detergents, protectives, glues for marbles, granites and stones

Normative basis

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Quality Management System

Environmental Management System

Occupational Health and Safety Management System

Reg. no. 30347

Validity 05.01.2020 – 27.09.2022
Issue 05.01.2020



A. Grisard
A. Grisard, President SQS

F. Müller
F. Müller, CEO SQS

Swiss Association for Quality and Management Systems (SQS)
Bernstrasse 103, 3052 Zollikofen, Switzerland





CERTIFICATE

We certify that AL FAW WORKSHOP TOOLS TRADING LLC is
UAE's authorized exclusive distributor of
Ehwa brand products in 2021.

AL FAW WORKSHOP TOOLS TRADING LLC is hereby entitled
to sell, accept, and place an order and distribute
Ehwa brand products within UAE in 2021.

CREATION ⁷ ANNIVERSARY ^{TO} 10

EHWA DIAMOND CO., LTD.

AL FAW WORKSHOP TOOLS TRADING LLC

Signature :

Signature :

Name : JAE KWON LEE

Title : MANAGER

Name : IHSAN MAJID HUSAIN ZWAYEN

Title : MANAGING DIRECTOR

OFFICE : 520-2. WON-DONG, OSAN-CITY, KYUNGKI-DO 447-804, KOREA
TEL/(82-31)370-9297 FAX/(82-31)370-9191



HYOSUNG D & P CO.,LTD

CERTIFICATE FOR EXCLUSIVE DISTRIBUTOR OF HYOSUNG IN UAE

WE, HYOSUNG D & P CO LTD HEREBY CERTIFY THAT AL FAW WORKSHOP TOOLS TR.
IS OUR EXCLUSIVE DISTRIBUTOR IN UAE FROM JAN, 01, 2021 TILL 31, DEC, 2026.

ISSUED BY : HYOSUNG D & P CO.,LTD
153B 2L, 723-1, NAMDONG INDUSTRIAL COMPLEX
NAMDONG-GU, INCHOEN, KOREA

HYOSUNG D&P CO., LTD.

J. S. Kim

J. S. KIM / PRESIDENT

**EXCLUSIVE
DISTRIBUTOR**



SUPER SELVA®

THIS CERTIFICATE IS PROUDLY PRESENTED TO
AL FAW WORKSHOP TOOLS TRADING LLC.

THE EXCLUSIVE DISTRIBUTOR FOR THE STONE &
CONSTRUCTION INDUSTRY FOR UAE

01.01.2021 – 31.12.2022



SUPER SELVA SRL
Robert Cappelletti - CEO

SUPER SELVA s.r.l.
Pres. *ROBERT CAPPELLETTI*

Super Selva srl – Via Trento 24 – 37030 Selva di Progno/Verona/Italia – CF/P.Iva IT-01564170239
Tel.+39-045-7847122-Fax +39-045-7847032 – e-mail: info@superselva.it - www.superselva.it



EXCLUSIVE DISTRIBUTOR

The Company ABRASIVOS ALICANTE S.L., dedicated to the production of all types of tools, chemicals, resins and mastics for the stone market, with registered address in Spain - Alicante, Polígono Industrial Las Atalayas, P.O. Box 20.002, Parcela 140, Avda. de la Antigua Peseta, PC 03114,

hereby certifies that

The company AL FAW WORKSHOP with registered address P.O. Box 22702 Industrial Area, 15 - Sharjah (UAE) is Exclusive Distributor of all our products in the region of United Arab Emirates.

AL FAW WORK SHOP has the responsibility to promote, distribute, sell and provide technical assistance related to all the products manufactured by ABRASIVOS ALICANTE.

AL FAW WORK SHOP benefits from the direct support and technical assistance of our factories located in Alicante, Spain.

Alicante, June of 2021

**ABRASIVOS
ALICANTE**

Mr. David Sánchez
Director-Manager

ABRASIVOS ALICANTE S.L.

Pol. Ind. Las Atalayas · P.O. Box 20002 · Av. de la Antigua Peseta, 140 · 03114 Alicante (Spain)
Telf.: (+34) 965112713 · Fax: (+34) 965117358 · info@abrasivosalicante.com www.abrasivosalicante.com

ISO 9001: 2015 CERTIFIED NO. REG. 94Q15899

AL FAW W/SHOP TOOLS

Email: [al_faw @emirates.net.ae](mailto:al_faw@emirates.net.ae)

Web: www.alfawtr.com

Telephone: +971-6-5355550

Fax: +971-6-5355500

PO BOX: 22702

Address: Shop No. 4 & 5, Street No. 6, Industrial area 15, , Sharjah, UAE

